Firma: PC COOL DOO
Adresa: Višegradska 26A
Telefon: 0653526116
Fax:
PIB: 104045201
E-mail: info@pccool.rs

Tenda AC11 AC1200 wireless dual band ruter 2.4+5GHz, 1W/3L, Gbit, 1Ghz cpu 128mb, 5x6dBi 12V/1A

Šifra: 11738
Kategorija prozivoda: Mrežna oprema
Proizvođač: TENDA

Cena: 4.170,00



AC11 je WiFi ruter visokih performansi dizajniran sa punim gigabitnim WAN i LAN portovima, uklanjajuc´i usko grlo brzine žicanih portova kada radite sa bržim propusnim opsegom optickih vlakana.

Snažan dvopojasni WiFi signal za prodor na više zidova
Sa novom generacijom 802.11ac talasa 2.0 standarda, AC11 nudi istovremenu brzinu prenosa podataka u dva opsega od cak 1167 Mbps. Tehnologija za pojacavanje bežicnog signala na opsegu od 2,4 GHz i 5 GHz proširuje vašu WiFi pokrivenost, a tehnologija Beamforming+ cini WiFi signal AC11 izvanrednim iza više zidova.

Inovativna MU-MIMO tehnologija
Sa inovativnim MU-MIMO, prodorom nove generacije 802.11 ac standarda, AC11 može da komunicira sa više uredaja istovremeno, skrac´ujuc´i kašnjenje i poboljšavajuc´i kolicinu povezanih uredaja.

5*6dBi spoljne antene za bolji WiFi signal
Dizajniran sa spoljnim dvopojasnim antenama od 5*6dBi, u kombinaciji sa tehnologijom prac´enja signala Beamforming, Wi-Fi signal se udruzuje u snop direktno ka uredaju korisnika kako bi se obezbedilo najbolje koriscenje.

Bez konfiguracije za brzo podešavanje
Šta ako zaboravite svoje PPPoE korisnicko ime ili lozinku ili ne možete da se prijavite na web korisnicki interfejs rutera radi podešavanja? AC11 može eliminisati vašu zabrinutost migracijom vašeg PPPoE korisnickog imena i lozinke sa vašeg originalnog rutera.

Function-rich WiFi router
Supports Parental Control
Supports Client Filter
WiFi Repeater to expand WiFi coverage
Guest network for higher network security
Supports IPv6, provider higher access speed
WiFi Schedule for smart life and green environment
AC11

Hardware
Standard&Protocol
IEEE802.3, IEEE802.3u, IEEE802.3ab
Interfaces
1*10/100/1000Mbps WAN port
3*10/100/1000Mbps LAN ports
Antenna
5*6dBi external antennas
Button
1* WPS/Reset button,1*WiFi ON/OFF
Power
Input:AC 100-240V~50/60Hz, 0.4A
Output:DC 12V 1A
Dimension
8.66 * 5.57 * 1.93 in (220*141.5*49mm)
LED Indicator

Sys*1,WAN*1, LAN*1,WiFi/WPS*1
Wireless
Wireless Standard
IEEE 802.11ac wave2/a/n 5GHz
IEEE 802.11b/g/n 2.4GHz
Data Rate
5GHz: Up to 867Mbps
2.4GHz: Up to 300Mbps
Frequency
Simultaneous dual band 2.4 & 5GHz
Transmission Power
CE:
<20dBm(2.4G)
<23dBm(5G)
FCC:<30dBm
Basic Features
SSID Broadcast: Enable/Disable
Transmission Power: high, medium, low
Beamforming
MU-MIMO
Wireless Security
WPA-PSK/WPA2-PSK, WPA/WPA2
Wireless Security : Enable /Disable
Software
Internet Connection Type
PPPoE, Dynamic IP, Static IP
Support automatic access detection
Supports broadband account automatic transfer
Operating Mode
Wireless Router Mode
Universal Repeater Mode
WISP Mode
AP Mode
DHCP Server
DHCP Server
DHCP Client List
DHCP Reservation
Virtual Server
Port Forwarding
DMZ Host
UPnP
Security
Client Filter(supports black list and white list)
Parental Control(supports black list and white list)
Remote Web Management
Firewall
Forbid UDP flood attack
Forbid TCP flood attack
Forbid flood attack
Forbid WAN PING from internet
DDNS
Support DynDNS, 88ip
VPN
IPsec pass through
PPTP pass through
L2TP pass through
Special Features
PPPoE Username/password Clone
Smart WiFi Schedule
Smart Power Saving
Smart LED on/off
Tenda Cloud
Tenda App
Others
Broadband management
MAC address clone
System Log
Backup & Restore configurations
Firmware upgrade from local
Others
Temperature
Operating Temperature: 0? ~ 40?
Storage Temperature: -40? ~ 70?.
Humidity

Operating Humidity:10% ~ 90% RH non-condensing
Storage Humidity: 5% ~ 90%RH non-condensing.
Default Settings
Default Access: tendawifi.com or http://192.168.0.1
Certification
CE/FCC/RoHS
EIRP Power (Max)
2.400-2.4835GHz: 19.95dBm (EIRP)
5.150-5.250GHz: 22.90dBm (EIRP)
Package Contents

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.