© Goe not found or type unknown

Firma: PC COOL DOO Adresa: Višegradska 26A Telefon: 018526116

Fax: 0653526116 PIB: 104045201

E-mail: info@pccool.rs


Tenda MW5C (2 pack) AC1200 dual band 2.4+5GHz distribution mesh WiFi system 250m2

Šifra: 11741

Kategorija prozivoda: Mrežna oprema

Proizvođač: TENDA

Cena: 9.940.00



Suitable for All Types of Large Houses

Power by Tenda's advanced mesh technology, MW5c creats a distributed network through the interconnection of multiple nodes. Easily achieve WiFi coverage for all types of large houses.

WiFi Coverage Anywhere

Any node of MW5c can be used as the main node. And other nodes will automatically connect to the master node after powering on. A 2-pack of Nova MW5c covers up to 2500 square feet. Expand your WiFi coverage simply by adding nodes.

Compatible with All Nova-series

Any Nova-series product (MW3, MW5, MW5S, MW6, MW12) can be used as an extra unit in an existing Nova network easily to meet varies house type requirements.

Two Signal Amplifiers for A Stable and Strong Connection

Two amplifiers used both on 2.4GHz and 5GHz bands of the every nodes to enhance the signal strength and receiving capability, helping the nova MW5c outperform rdinary routers.

Works Well with High Speed Fiber

With full gigabit ports, the MW5c makes most of your high speed broadband coming into your home.

Seamless Roaming, Always Online

With the seamless roaming feature, you can go from room to room withoutlosing connection, creating a lagfree video call, online gaming experience when you are on the move.

MU-MIMO for Supporting Up to 80 Devices

Combining the 1 GHz main chip with MU-MIMO technology, the Nova MW5c communicates simultaneously with multiple devices, ensuring a lag-free internet connection when you enable the Capacity-oriented Mode on Tenda App.

Remote Control with Tenda APP

Tenda WiFi App provides the easiest way to manage your MW5c. The real-time status of online devices is all in your hands.

Hardware

Standard&Protocol

IEEE802.11a/b/g/n/ac

IEEE 802.3, IEEE 802.3u, IEEE 802.4ab

Ethernet Interface

2 x 10/100/1000Mbps RJ45 ports per node

Antenna

2 x Internal antenna

Button



1 x Reset Button Power Input: 100-240V-50/60Hz, 0.6A Output: 12V1A Dimension 91 x 91 x 93mm (3.58 x 3.58 x 3.66 in.) LED Indicator 1 x Tri-color LED Indicator(Green, Yellow, Red) Wireless Wireless Standard IEEE802.11a/b/g/n/ac (WiFi 5 wave 2) Wireless roaming Comply with IEEE802.11k/v/r Mesh network Standard IEEE802.11s Rate 2.4GHz: 300Mbps 5GHz: 867Mbps Frequency 2.4~2.4835GHz 5.15~5.25GHz 5.72~5.85GHz Transmission Power CE: **Basic Features** SSID Broadcast Beam Forming **MU-MIMO** AP Steering **Band Steering** Wireless Security WPA-PSK/WPA2-PSK(default) Software Operating Mode Router Mode, Bridge Mode Internet Connection Type PPPoE, Dynamic IP, Static IP PPPoE(Russia), PPTP(Russia), L2TP(Russia) **DHCP Server** DHCP Server, DHCP Client List Virtual Server Port Forwarding, UPnP Parental Control Client Filter Firewall Forbid TCP/UDP flood attack **VPN** PPTP/L2TP/IPsec pass through DNS Support manually setting DNS server **Special Features** Smart QoS (Gaming, Video & Audio, Download) Others Auto-sensing internet connection Support App management and Remote management **Guest Network** Firmware upgrade online Others **Operation Temperature** $0 \sim 40$?

Storage Temperature $-40 \sim 70$? Operating Humidity $10\% \sim 90\%$ RH non-condensing Storage Humidity $5\% \sim 90\%$ RH non-condensing APP installation Available in iOS 8.0 or later, Android 4.0 or later Certification CE, FCC, RoHS,EAC,IC Package Contents Mesh5 x 3, Power adapter x 3, QIG x 1, RJ45 Gigabit Ethernet cable x 1