

Tenda MW5C (2 pack) AC1200 dual band 2.4+5GHz distribution mesh WiFi system 250m2

Šifra: 11741
Kategorija proizvoda: Mrežna oprema
Proizvođač: TENDA

Cena: 9.940,00



High Performance Mesh WiFi for Your Whole Home

AC1200 Whole Home Mesh WiFi System

Suitable for All Types of Large Houses

Power by Tenda's advanced mesh technology, MW5c creates a distributed network through the interconnection of multiple nodes. Easily achieve WiFi coverage for all types of large houses.

WiFi Coverage Anywhere

Any node of MW5c can be used as the main node. And other nodes will automatically connect to the master node after powering on. A 2-pack of Nova MW5c covers up to 2500 square feet. Expand your WiFi coverage simply by adding nodes.

Compatible with All Nova-series

Any Nova-series product (MW3, MW5, MW5S, MW6, MW12) can be used as an extra unit in an existing Nova network easily to meet various house type requirements.

Two Signal Amplifiers for A Stable and Strong Connection

Two amplifiers used both on 2.4GHz and 5GHz bands of the every nodes to enhance the signal strength and receiving capability, helping the nova MW5c outperform ordinary routers.

Works Well with High Speed Fiber

With full gigabit ports, the MW5c makes most of your high speed broadband coming into your home.

Seamless Roaming, Always Online

With the seamless roaming feature, you can go from room to room without losing connection, creating a lag-free video call, online gaming experience when you are on the move.

MU-MIMO for Supporting Up to 80 Devices

Combining the 1 GHz main chip with MU-MIMO technology, the Nova MW5c communicates simultaneously with multiple devices, ensuring a lag-free internet connection when you enable the Capacity-oriented Mode on Tenda App.

Remote Control with Tenda APP

Tenda WiFi App provides the easiest way to manage your MW5c. The real-time status of online devices is all in your hands.

Hardware

Standard&Protocol

IEEE802.11a/b/g/n/ac

IEEE 802.3, IEEE 802.3u, IEEE 802.4ab

Ethernet Interface

2 x 10/100/1000Mbps RJ45 ports per node

Antenna

2 x Internal antenna

Button

1 x Reset Button

Power

Input: 100-240V—50/60Hz, 0.6A

Output: 12V1A

Dimension

91 x 91 x 93mm (3.58 x 3.58 x 3.66 in.)

LED Indicator

1 x Tri-color LED

Indicator(Green, Yellow, Red)

Wireless

Wireless Standard

IEEE802.11a/b/g/n/ac (WiFi 5 wave 2)

Wireless roaming

Comply with IEEE802.11k/v/r

Mesh network Standard

IEEE802.11s

Rate

2.4GHz: 300Mbps

5GHz: 867Mbps

Frequency

2.4~2.4835GHz

5.15~5.25GHz

5.72~5.85GHz

Transmission Power

CE:

Basic Features

SSID Broadcast

Beam Forming

MU-MIMO

AP Steering

Band Steering

Wireless Security

WPA-PSK/WPA2-PSK(default)

Software

Operating Mode

Router Mode, Bridge Mode

Internet Connection Type

PPPoE, Dynamic IP, Static IP

PPPoE(Russia), PPTP(Russia), L2TP(Russia)

DHCP Server

DHCP Server, DHCP Client List

Virtual Server

Port Forwarding, UPnP

Parental Control

Client Filter

Firewall

Forbid TCP/UDP flood attack

VPN

PPTP/L2TP/IPsec pass through

DNS

Support manually setting DNS server

Special Features

Smart QoS (Gaming, Video & Audio, Download)

Others

Auto-sensing internet connection

Support App management and Remote management

Guest Network

Firmware upgrade online

Others

Operation Temperature

0 ~ 40 ?

Storage Temperature

-40 ~ 70 ?

Operating Humidity

10%~90% RH non-condensing

Storage Humidity

5%~90% RH non-condensing

APP installation

Available in iOS 8.0 or later, Android 4.0 or later

Certification

CE, FCC, RoHS,EAC,IC

Package Contents

Mesh5 x 3, Power adapter x 3, QIG x 1, RJ45 Gigabit Ethernet cable x 1