Firma: PC COOL DOO
Adresa: Višegradska 26A
Telefon: 0653526116
Fax:
PIB: 104045201
E-mail: info@pccool.rs

Interfon dahua KTP02 Ip video interfonski KIT

Šifra: 15892
Kategorija prozivoda: Interfoni motori za kapije
Proizvođač: Nepoznati

Cena: 53.800,00



IP SIP 2.0 Video

interfonski komplet
SIP video interfonski pozivni panel sa jednim tasterom i citacem VTO2111D-P-S2
IP video interfonski monitor 7"” VTH2421FB-P
PoE switch PFS3005-4ET-60.

Accessory: Brackets and alarm ribbon cable
Dimensions: 135mm×70.4mm×34.4mm (5.31"×2.77"×1.35")
Protection Grade: IP65 (silicone sealant is needed, see the quick start guide)
Operating Temperature: -30°C to +60°C (-20°F to +60°F)
Operating Humidity: 10%RH–90%RH (non-condensing)
Operating Altitude: Beneath 3000 m (9842.52 ft)
Power Consumption: Standby=1W, working=5W
Gross Weight: 326 g (0.72 lb)
Model: DHI-VTH2421FB-P
Main Processor: High performace embedded processor
Operating System: Embedded LINUX OS
Screen Type: Capacitive screen
Display: 7-inch TFT screen
Resolution: 1024 × 600
Video Compression: H.264
Audio Compression: G.711A/G.711U/PCM
Audio Input: 1 channel all-direction microphone
Audio Output: Built-in 1.5W loudspeaker
Audio Mode: Support dual-way bidirectional talk
Audio Enhancement: Support echo cancellation/DNR
Audio Bit Rate: 16 kbps
Communication Mode: Full digital
Information Release: Support to receive and view notifications issued by center
Leave Videos or Text Messages: Yes
DND Mode: Support to set DND period
Sub-station Quantity: 9
Alarm Input: 6 channel (switch quantity)
Alarm Output: 1 channel
Network: 1 RJ-45
SOS Alarm: Yes
Casing: PC+ABS
Installation: Wall mount
Accessories: Default bracket
Dimensions: 119.6 mm × 221.5 mm × 21.5 mm
(4.71" × 8.72" × 0.85")
Operating Temperature: -10°C to +55°C (+14°F to +131°F)
Operating Humidity: 10%RH-95%RH
Power Consumption: Standby=4W, work=6W
Gross Weight: 0.35 Kg (0.77 lb)
Power Supply Mode: PoE or DC 12V
Storage: Support Micro SD, maximum memory capacity 32 G, standard memory capacity 8 G
Model: DH-PFS3005-4ET-36
Ethernet Port:
1×10/100 Base-T

4×10/100 Base-T (PoE power supply)

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.