

LAN Router TP-LINK ARCHER C80 AC1900  
 4externe antene

Šifra: 18978  
 Kategorija proizvoda: Mrežna oprema  
 Proizvođač: TP-Link

Cena: **5.620,00**



<b>WIRELESS</b>	
<b>Standards</b>	<b>Wi-Fi 5</b> IEEE 802.11ac/n/a 5 GHz IEEE 802.11n/b/g 2.4 GHz
<b>WiFi Speeds</b>	<b>AC1900</b> 5 GHz: 1300 Mbps (802.11ac) 2.4 GHz: 600 Mbps (802.11n)
<b>WiFi Range</b>	<b>3 Bedroom Houses</b> 4x Fixed High-Performance Antennas Multiple antennas form a signal-boosting array to cover more directions and large areas  Beamforming Concentrates wireless signal strength towards clients to expand WiFi range
<b>WiFi Capacity</b>	<b>Medium</b> Dual-Band Allocate devices to different bands for optimal performance  3x3 MU-MIMO Simultaneously communicates with multiple MU-MIMO clients  Airtime Fairness Improves network efficiency by limiting excessive occupation
<b>Working Modes</b>	Router Mode Access Point Mode
<b>HARDWARE</b>	
<b>Processor</b>	1.2 GHz CPU
<b>Ethernet Ports</b>	1x Gigabit WAN Port 4x Gigabit LAN Ports
<b>Buttons</b>	WPS/Wi-Fi Button Power On/Off Button Reset Button
<b>Power</b>	US Version 12 V ? 1.5 A  EU Version 12 V ? 1 A
<b>SECURITY</b>	
<b>WiFi Encryption</b>	WPA WPA2 WPA3 WPA/WPA2-Enterprise (802.1x)

<b>SECURITY</b>	
<b>Network Security</b>	SPI Firewall Access Control IP & MAC Binding Application Layer Gateway
<b>Guest Network</b>	1× 5 GHz Guest Network 1× 2.4 GHz Guest Network
<b>SOFTWARE</b>	
<b>Protocols</b>	IPv4 IPv6
<b>OneMesh™</b>	OneMesh™ Supported Without replacing your existing devices or buying a whole new WiFi ecosystem, OneMesh™ helps you create a more flexible network that covers your entire home with TP-Link OneMesh™ products. <a href="#">Learn More&gt;</a> <a href="#">All OneMesh Products&gt;</a>
<b>Parental Controls</b>	URL Filtering Time Controls
<b>WAN Types</b>	Dynamic IP Static IP PPPoE PPTP L2TP
<b>Quality of Service</b>	QoS by Device
<b>Cloud Service</b>	OTA Firmware Upgrade TP-Link ID DDNS
<b>NAT Forwarding</b>	Port Forwarding Port Triggering DMZ UPnP
<b>IPTV</b>	IGMP Proxy IGMP Snooping Bridge Tag VLAN
<b>DHCP</b>	Address Reservation DHCP Client List Server
<b>DDNS</b>	TP-Link NO-IP DynDNS
<b>Management</b>	Tether App Webpage <a href="#">Check Web Emulator&gt;</a>
<b>PHYSICAL</b>	
<b>Dimensions (W×D×H)</b>	8.5 × 4.6 × 1.26 in (215 × 117 × 32 mm)
<b>Package Contents</b>	Wi-Fi Router Archer C80 Power Adapter RJ45 Ethernet Cable Quick Installation Guide
<b>OTHER</b>	
<b>System Requirements</b>	Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browser  Cable or DSL Modem (if needed)  Subscription with an internet service provider (for internet access)
<b>Certifications</b>	FCC, CE, RoHS

<b>OTHER</b>	
<b>Environment</b>	Operating Temperature: 0?~40? (32? ~104?) Storage Temperature: -40?~70? (-40? ~158?) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
<b>TEST DATA</b>	
<b>WiFi Transmission Power</b>	CE: <20dBm(2.4GHz) <23dBm(5.15GHz~5.25GHz) FCC: <30dBm(2.4GHz & 5GHz)
<b>WiFi Reception Sensitivity</b>	5GHz: 11a 6Mbps:-98dBm, 11a 54Mbps:-78dBm 11ac VHT20_MCS0:-98dBm, 11ac VHT20_MCS8:-72dBm 11ac VHT40_MCS0:-92dBm, 11ac VHT40_MCS9:-68dBm 11ac VHT80_MCS0:-89dBm, 11ac VHT80_MCS9:-64dBm  2.4GHz: 11g 6Mbps:-97dBm, 11a 54Mbps:-77dBm 11n VHT20_MCS0:-97dBm, 11n VHT20_MCS8:-72dBm 11n VHT40_MCS0:-92dBm, 11n VHT40_MCS9:-67dBm