Firma: PC COOL DOO
Adresa: Višegradska 26A
Telefon: 0653526116
Fax:
PIB: 104045201
E-mail: info@pccool.rs

MB s1700 MSI PRO H610M-B DDR4

Šifra: 22102
Kategorija prozivoda: Matične ploče
Proizvođač: MSI

Cena: 10.160,00



Processor

Supports 12th Gen Intel® Core™ Processors, Pentium® Gold and Celeron® Processors [1]

Processor socket LGA1700

1. Please go to www.msi.com to get the newest support status as new processors are released.

See supported processors

Chipset Intel® H610 Chipset

Memory

2x DDR4 memory slots, support up to 64GB [1]

Supports 1R 2133/ 2666/ 2933/ 3200 MHz (by JEDEC & POR)

Supports Dual-Channel mode

Supports non-ECC, un-buffered memory

1. Please refer to www.msi.com for more information on compatible memory.

See supported memory

Expansion Slot

1x PCIe x16 slot (From CPU)
Supports up to PCIe 4.0 x16

1x PCIe x1 slot
Supports PCIe 3.0 x1

1x M.2 slot with E-key for PCIe WiFi module only (M2_WIFI1)

Onboard Graphics

1x HDMI 2.1 with HDR port, supports a maximum resolution of 4K 60Hz [1] / [2]

Available only on processors featuring integrated graphics.

1x VGA port, supports a maximum resolution of 2048x1536 50Hz, 2048x1280 60Hz, 1920x1200 60Hz [1] / [2]

Graphics specifications may vary depending on the CPU installed.

SATA Ports

4x SATA 6Gb/s ports[1]

1. SATA7 will be unavailable when installing M.2 SATA SSD in the M2_1 slot.

M.2 SSD Slot

1x M.2 slot (Key M, from chipset) [1]

Supports up to PCIe 3.0 x4

Supports up to SATA 6Gb/s

Supports 2242/ 2260/ 2280 storage devices

Supports Intel® Smart Response Technology for Intel Core™ processors

1. SATA7 will be unavailable when installing M.2 SATA SSD in the M2_1 slot

Audio

Realtek® ALC892/ ALC897 Codec

7.1-Channel High Definition Audio

LAN

1x Intel® I219V 1Gbps LAN controller

Power Connectors

1x 24-pin ATX main power connector

1x 8-pin ATX 12V power connector

USB

Intel® H610 Chipset

4x USB 3.2 Gen 1 5Gbps ports (2 Type-A ports on the back panel, 2 ports available through the internal USB connector)

6x USB 2.0 ports (4 Type-A ports on the back panel(hub-GL850G), 2 ports available through the internal USB 2.0 connector)

Fan Connectors

1x 4-pin CPU fan connector

1x 4-pin System fan connector

System Connectors

1x Front panel audio connector

2x System panel connectors

1x Chassis Intrusion connector

1x TPM module connector

Jumpers


1x Clear CMOS jumper

LED Features

4x EZ Debug LED

Back panel ports

1. HDMI
2. VGA
3. Keyboard/Mouse
4. USB 3.2 Gen 1 5Gbps Type-A
5. LAN port
6. Audio connector
7. USB 2.0



Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.