

MB s1700 Gigabyte H610M S2H DDR4 G10

Šifra: 33425
Kategorija proizvoda: Matične ploče
Proizvođač: GIGABYTE

Cena: 11.360,00



CPU		Chipset	Memory
LGA1700 socket:	L3 cache varies with CPU	Intel® H610 Express Chipset	Supports up to 32GB DDR4 3200MHz
Support for 12th Generation Intel® Core™, Pentium® Gold and Celeron® Processors*			
* Please refer to "CPU Support List" for more information.		Onboard Graphics	Audio
		Integrated Graphics Processor-Intel® HD Graphics support:	
		1 x D-Sub port, supporting a maximum resolution of 1920x1200@60 Hz	
		1 x DVI-D port, supporting a maximum resolution of 1920x1200@60 Hz	
		1 x HDMI port, supporting a maximum resolution of 4096x2160@60 Hz	
		* The DVI-D port does not support D-Sub connection by adapter.	
		* Support for HDMI 2.1 version and HDCP 2.3.	
		** Support native HDMI 2.1 TMDS compatible ports	(Please refer to the manual for more information.)
		1 x DisplayPort, supporting a maximum resolution of 4096x2304@60 Hz	
		* Support for DisplayPort 1.2 version and HDCP 2.3	
		(Graphics specifications may vary depending on CPU support.)	

Realtek® Audio CODEC	High Definition Audio 2/4/5.1/7.1-channel * To configure 7.1-channel audio, you need to open the audio software and select Device advanced settings > Playback Device to change the default setting first. Please visit GIGABYTE's website for details on configuring the audio software.	LAN Intel® GbE LAN chip (1 Gbps/100 Mbps)	Expansion Slots 1 x PCIe 4.0 x16 slot (For running graphics card) * For better performance, please use PCI Express 4.0 card to be suitable for PCI Express 4.0 slot (The slot color is blue). Express
		Storage Interface Chipset: 1 x M.2 connector (Socket 3, M key, type 2260/2280 PCIe 3.0 x4/x2 SSD support)	USB Chipset 4 x USB 3.2 Gen 1 (2 ports on the rear panel, 2 through the front panel)
			Chipset 4 x USB 2.0 (4 available internal headers)
		Internal I/O Connectors 1 x 24-pin ATX main power connector	Back Panel I/O 1 x 8-pin ATX 12V power connector 1 x M.2 Socket 3 connector 4 x SATA 6Gb/s connectors 1 x CPU fan header 2 x system fan headers 1 x RGB LED strip header 1 x front panel header 1 x front panel audio header 1 x USB 3.2 Gen 1 header 2 x USB 2.0/1.1 headers 1 x Trusted Platform Module header (For the GC-TPM2.0 SPI/GC-TPM2.0 SPI 2.0 module only) 1 x Clear CMOS jumper

