Firma: PC COOL DOO
Adresa: Višegradska 26A
Telefon: 0653526116
Fax:
PIB: 104045201
E-mail: info@pccool.rs

Matična ploča AM4 Asus Prime A320M-K VGAHDMIM.2

Šifra: 63180
Kategorija prozivoda: Matične ploče
Proizvođač: ASUS



Cena: 6.620,00

Tip procesora	AMD
Podnožje	AMD® AM4
Čipset	AMD® A320
Format ploče	Micro ATX
Podržani procesori	AMD procesori AM4 podnožja AMD Ryzen™/sedma generacija A-series/Athlon™ procesoraPodržava procesore do 8 jezgra.
Podržana memorija	DDR4
Memorija	AMD Ryzen™ procesori2 x DIMM, Max. 32GB, DDR4 3200(O.C.)/2933(O.C.)/2666/2400/2133 MHz Non-ECC, Un-buffered MemoryAMD sedma generacija A-series/Athlon™ procesora2 x DIMM, Max. 32GB, DDR4 2400/2133 MHz Non-ECC, Un-buffered MemoryDvo-kanalna memorijska arhitektura* Hyper DIMM podrška zavisi od karakteristika procesora
Integrisana grafička karta	Podrška za integrisanu AMD Radeon™ R serije grafiku u sedmoj generaciji A-serije APU procesoraDva izlaza: HDMI/ RGB- Podržava HDMI 1.4b sa maksimalnom rezolucijom 4096 x 2160 @ 24 Hz / 2560 x 1600 @ 60 Hz- Podržava RGB sa maksimalnom rezolucijom 1920 x 1200 @ 60 HzMaksimalna deljena memorija 2048 MB
Slotovi za proširenje	AMD Ryzen™ Processors1 x PCIe 3.0/2.0 x16 (x16 mode)AMD 7th Generation A-series/Athlon™ Processors1 x PCIe 3.0/2.0 x16 (x8 mode)AMD A320 chipset2 x PCIe 2.0 x1
Storage	AMD A320 chipset :4 x SATA 6Gb/s port(s), gray,Podržava Raid 0, 1, 10AMD Ryzen™ Processors :1 x M.2 Socket 3, with M key, type 2242/2260/2280 storage devices support (SATA & PCIE 3.0 x 4 mode)AMD 7th Generation A-series/Athlon™ Processors :1 x M.2 Socket 3, with M key, type 2242/2260/2280 storage devices support (SATA mode)
Mrežna karta	Realtek® RTL8111H, 1 x Gigabit LAN Controller(s)
Zvučna karta	Realtek® ALC887 8-Channel High Definition Audio CODEC
USB	AMD Ryzen™/7th Generation A-series/Athlon™ Processors :4 x USB 3.1 Gen 1 port(s) (4 na zadnjem panelu, plavi)AMD A320 chipset :2 x USB 3.1 Gen 1 port(s) (2 preko internog konektora)AMD A320 chipset :6 x USB 2.0 port(s) (2 na zadnjem panelu, , 4 preko internog konektora)
Konektori na zadnjoj strani	1 x PS/2 keyboard (purple)1 x PS/2 mouse (green)1 x D-Sub1 x HDMI1 x LAN (RJ45) port(s)4 x USB 3.1 Gen 1 Gen 1 (blue)2 x USB 2.03 x Audio jack(s)
Interni konektori	1 x USB 3.0 Gen 1 connector(s) support(s) additional 2 USB 3.0 Gen 1 port(s) (19-pin)2 x USB 2.0 connector(s) support(s) additional 4 USB 2.0 port(s)1 x M.2 Socket 3 with M key, type 2242/2260/2280 storage devices support (SATA & PCIE 3.0 x 4 mode)1 x COM port(s) connector(s)4 x SATA 6Gb/s connector(s)1 x CPU Fan connector(s) (1 x 4 -pin)1 x Chassis Fan connector(s) (1 x 4 -pin)1 x S/PDIF out header(s)1 x 24-pin EATX Power connector(s)1 x 4-pin ATX 12V Power connector(s)1 x Front panel audio connector(s) (AAFP)1 x System panel(s)1 x Clear CMOS jumper(s)1 x Speaker connector
Bios	128 Mb Flash ROM, UEFI AMI BIOS, PnP,WfM2.0, SM BIOS 3.0, ACPI 6.1, Multi-language BIOS, ASUS EZ Flash 3, ASUS CrashFree BIOS 3, My Favorites, Last Modified log, F12 PrintScreen, ASUS DRAM SPD (Serial Presence Detect) memory information, F6 Qfan Control
Ostalo	ASUS 5X Protection III :- ASUS SafeSlot Core: Fortified PCIe Slot prevents damage- ASUS LANGuard: Protects against LAN surges, lightning strikes and static-electricity discharges!- ASUS Overvoltage Protection: World-class circuit-protecting power design- ASUS Stainless-Steel Back I/O: 3X corrosion-resistance for greater durability!- ASUS DIGI+ VRM: 6 Phase digital power designASUS Exclusive Features :- AI Suite 3- Ai ChargerASUS Quiet Thermal Solution :- Stylish Fanless Design Heat-sink solution- ASUS Fan XpertASUS EZ DIY :- ASUS CrashFree BIOS 3- ASUS

EZ Flash 3- ASUS UEFI BIOS EZ Mode- Multi-language BIOSASUS Q-

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.