

## MB AM4 GIGABYTE B550 EAGLE WIFI6 1.0

Šifra: 99865

Kategorija proizvoda: Matične ploče

Proizvođač: GIGABYTE

Cena: **14.220,00**



### CPU

AMD Socket AM4, support for:

AMD Ryzen™ 5000 G-Series Processors/

AMD Ryzen™ 5000 Series Processors/

AMD Ryzen™ 4000 G-Series Processors/

AMD Ryzen™ 3000 G-Series Processors/

AMD Ryzen™ 3000 Series Processors

(Go to GIGABYTE's website for the latest CPU support list.)

### Chipset

AMD B550

### Onboard Graphics

Integrated Graphics Processor with AMD Radeon™

Graphics support:

- 1 x HDMI port, supporting a maximum resolution of 4096x2160@60 Hz

\* Support for HDMI 2.1 version, HDCP 2.3, and HDR.

\*\* Support for native HDMI 2.1 TMDS compatible ports.

(Graphics specifications may vary depending on CPU support.)

Maximum shared memory of 16 GB

### LAN

Realtek® GbE LAN chip (1 Gbps/10 Gbps/10 Mbps)

### Expansion Slots

1 x PCI Express x16 slot (PCIEX16), integrated in the CPU:

AMD Ryzen™ 5000/3000 Series Processors support PCIe 4.0 x16 mode

AMD Ryzen™ 5000 G/4000 G/3000 G Series Processors support PCIe 3.0x16 mode

\* The PCIEX16 slot can only support a graphics card or an NVMe SSD. If only one graphics card is to be installed, be sure to install it in the PCIEX16 slot.

### Chipset:

- 4 x PCI Express x16 slots, supporting PCIe 3.0 and running at x1(PCIEX1\_1, PCIEX1\_2, PCIEX1\_3, PCIEX1\_4)

### Memor

4 x DD

GB sing

Support

memor

Dual ch

Support

module

Support

16x8/2

Adapt

Realtek

modu

2/4/5.1

support

using t

sure

informa

### Wireles

Realtek

- WIFI a

frequen

- BLUE

- Suppo

(Actual

and eq

1 x M.2

support

- AMD

SATA a

- AMD

Process

1 x M.2

support

x4/x2 S

4 x SAT

RAID 0

storage

RAID 0

USB  
 CPU:  
 - AMD Ryzen™ 5000/3000 Series Processors support one USB 3.2 Gen 2 Type-A port (red) on the back panel  
 - AMD Ryzen™ 5000 G/4000 G/3000 G-Series Processors support one USB 3.2 Gen 1 port (red) on the back panel  
 - 1 x USB Type-C® port on the back panel, with USB 3.2 Gen 1 support  
 - 2 x USB 3.2 Gen 1 ports on the back panel  
 Chipset:  
 - 1 x USB Type-C® port with USB 3.2 Gen 1 support, available through the internal USB header  
 - 2 x USB 3.2 Gen 1 ports available through the internal USB header  
 - 4 x USB 2.0/1.1 ports available through the internal USB headers  
 Chipset+USB 2.0 Hub:  
 - 4 x USB 2.0/1.1 ports on the back panel  
 Back Panel Connectors  
 4 x USB 2.0/1.1 ports  
 2 x antenna connectors (1T1R)  
 1 x HDMI port (Note)  
 1 x USB 3.2 Gen 2 Type-A (Note)/USB 3.2 Gen 1 port (red)  
 1 x USB Type-C® port, with USB 3.2 Gen 1 support  
 1 x Q-Flash Plus button  
 1 x RJ-45 port  
 2 x USB 3.2 Gen 1 ports  
 3 x audio jacks

(Note) Actual support may vary by CPU.

H/W Monitoring  
 Voltage detection  
 Temperature detection  
 Fan speed detection  
 Water cooling flow rate detection  
 Fan fail warning  
 Fan speed control  
 \* Whether the fan speed control function is supported will depend on the fan you install.

Unique Features  
 Support for APP Center  
 \* Available applications in APP Center may vary by motherboard model. Supported functions of each application may also vary depending on motherboard specifications.

- @BIOS  
 - EasyTune  
 - RGB Fusion  
 - Smart Backup  
 - System Information Viewer  
 Support for Q-Flash Plus  
 Support for Q-Flash

Operating System  
 Support for Windows 11 64-bit  
 Support for Windows 10 64-bit

Intern  
 1 x 24-  
 1 x 8-p  
 1 x CPU  
 1 x CPU  
 3 x sys  
 2 x add  
 2 x RG  
 1 x CPU  
 2 x M.2  
 4 x SAT  
 1 x fron  
 1 x fron  
 1 x USB  
 1 x USB  
 2 x USB  
 1 x Tru  
 the GC  
 1 x Cle  
 I/O Cor  
 iTE® I/

BIOS  
 1 x 128  
 Use of  
 PnP 1.0

Bundle  
 Norton  
 LAN ba

Form F

ATX Form Factor; 30.5cm x 24.4cm

Link: <https://www.gigabyte.com/Motherboard/B550-EAGLE-WIFI6/sp#sp>